



















- [6] Å. Ukkelberg, G.H. Sørland, E.D. Hansen, and H.C. Wideøe. ANAHES, a new second order sum of exponentials fit algorithm, compared to the Tikhonov regularization approach, with NMR applications. *Int. J. Research and Reviews*, 2(3):195–210, Mar 2010.
- [7] L. Monteilhet, J.-P. Korb, J. Mitchell, and P.J. McDonald. Observation of exchange of micropore water in cement pastes by two-dimensional  $T_2$ - $T_2$  nuclear magnetic resonance relaxometry. *Physical Review E*, 74:061404–1–9, 2006.
- [8] D. Byrchenkoff and S. Rodts. Structure of the two-dimensional relaxation spectra seen within the eigenmode perturbation theory and the two-site exchange model. *J. Magnetic Resonance*, 208(1):4–19, Jan 2011.
- [9] J. Granwehr and P.J. Roberts. Inverse Laplace transform of multidimensional relaxation data without non-negativity constraint. *J. Chemical Theory and Computation*, 8:3473–3482, 2012.
- [10] L. Venkataramanan, Y.-Q. Song, and M.D. Hurlimann. Solving Fredholm integrals of the first kind with tensor product structure in 2 and 2.5 dimensions. *IEEE Trans. Signal Processing*, 50(5):1017–1026, May 2002.
- [11] E. Chouzenoux, S. Moussaoui, J. Idier, and F. Mariette. Primal-dual interior point optimization for a regularized reconstruction of nmr relaxation time distributions. In *Proc. IEEE Conf. Acoust., Speech & Sig. Proc.*, Vancouver, May 2013.
- [12] M. Vetterli, J. Kovačević, and V.K. Goyal. *Foundations of Signal Processing*. Cambridge University Press, 2014.
- [13] J.P. Butler, J.A. Reeds, and S.V. Dawson. Estimating solutions of first kind integral equations with nonnegative constraints and optimal smoothing. *SIAM J. Numer. Anal.*, 18(3):381–397, Jun 1981.
- [14] M. Gu and S.C. Eisenstat. Efficient algorithms for computing a strong rank-revealing QR factorization. *SIAM J. Sci. Comput.*, 17(4):848–869, 1996.
- [15] S. Boyd and L. Vandenberghe. *Convex Optimization*. Cambridge University Press, 2004.
- [16] Y. Saad. *Iterative Methods for Sparse Linear Systems*. SIAM, Philadelphia, 2nd edition, 2003.
- [17] J.R. Bunch and L. Kaufman. Some stable methods for calculating inertia and solving symmetric linear systems. *Math. of Computation*, 31(137):163–179, Jan 1977.