

References

- [1] J. Beau W. Webber, *Nano-metrology of porous structures - I. Using neutron scattering to access pore lattice, diameter and wall parameters, by comparison with direct calculation of scattering from models of extended arrays of regular or randomised pores*. Physics Reports, 526, 4, 227-248, (2013). DOI: [10.1016/j.physrep.2013.01.002](https://doi.org/10.1016/j.physrep.2013.01.002)
- [2] J. Mitchell, J. Beau W. Webber and J.H. Strange. *Nuclear Magnetic Resonance Cryoporometry*. Physics Reports, 461, 1-36, (2008). DOI: [10.1016/j.physrep.2008.02.001](https://doi.org/10.1016/j.physrep.2008.02.001)
- [3] John Beausire Wyatt Webber, *Characterising Porous Media*. Ph.D. Thesis, xvii, 305 pp, Physics, University of Kent, UK, (2000). [PDF](#)
- [4] J.H. Strange, M.Rahman and E.G. Smith. *Characterization of Porous solids by NMR*, Physical Review Letters, 71, No. 21, p3589-3591, (1993). DOI: [DOI: 10.1103/PhysRevLett.71.3589](https://doi.org/10.1103/PhysRevLett.71.3589)
- [5] J. Beau W. Webber, John C. Dore. *Neutron Diffraction Cryoporometry - a measurement technique for studying mesoporous materials and the phases of contained liquids and their crystalline forms*. Nuclear Inst. and Methods in Physics Research, A, 586, 356-366, (2008). DOI: [10.1016/j.nima.2007.12.004](https://doi.org/10.1016/j.nima.2007.12.004)
- [6] A. Corma, *From Microporous to Mesoporous Molecular Sieve Materials and Their Use in Catalysis*. Chem. Rev. 97, 2373-2419, (1997).
- [7] *Nanoporous materials: science and engineering*. Edited by G. Q. Lu, X. S. Zhao and Tjan Kwang Wei, Imperial College Press, (2004).
- [8] C. Perego and R. Millini, *Porous materials in catalysis: challenges for mesoporous materials*, Chem. Soc. Rev., 42, 3956-3976 (2013). DOI: 10.1039/C2CS35244C
- [9] J.B.W. Webber, J.H. Strange and J.C. Dore. *An evaluation of NMR Cryoporometry, Density Measurement and Neutron Scattering methods of pore characterisation*. [Mag. Res. Imag., 19, 3-4, 395-399, \(2001\)](#).
- [10] J.C. Dore, J.B.W. Webber and J.H. Strange. *Characterisation of porous solids using small-angle scattering and NMR cryoporometry*. Proceedings of the Third International TRI/Princeton Workshop on "Characterization of Porous Materials: From Angstroms to Millimeters", Edited by Alexander V. Neimark. [Colloids and Surfaces A: Physicochem. & Eng. Aspects. 241/1-3, 191-200, 2004](#).
- [11] J.B.W. Webber. *A generalisation of the thermoporosity Gibbs-Thomson equation for arbitrary pore geometry*. 6th International Conference on Magnetic Resonance in Porous Media, Ulm, Germany, 2002. : [Magn. Reson. Imaging 21, \(3-4\): 428, Apr-May, \(2003\)](#).
- [12] J. Beau W. Webber. *Studies of nano-structured liquids in confined geometry and at surfaces*. Progress in NMR Spectroscopy, 56, 1, 78-93, (2010). DOI: [10.1016/j.pnmrs.2009.09.001](https://doi.org/10.1016/j.pnmrs.2009.09.001)
- [13] Alnaimi S.M., Mitchell J., Strange J.H., Webber J.B.W. *Binary liquid mixtures in porous solids*. . [J. Chem. Phys. 120 \(5\): 2075-2077, \(2004\)](#).
- [14] J.H. Strange, M.O. Norris. *J.Phys.E., A nuclear magnetic resonance sample temperature controller using liquid nitrogen injection*, 2, 1106-1108, (1969). [DOI:10.1088/0022-3735/2/12/428](https://doi.org/10.1088/0022-3735/2/12/428)
- [15] J. Beau W. Webber, Ross Anderson, John H. Strange, Bahman Tohidi. *Clathrate formation and dissociation in vapour/water/ice/hydrate systems in SBA-15, Sol-Gel and CPG porous media, as probed by NMR relaxation, novel protocol NMR Cryoporometry, Neutron Scattering and ab-initio QM-MD simulation*. Magnetic Resonance Imaging. Vol 25/4, pp 533-536, 2007. DOI:[10.1016/j.mri.2006.11.022](https://doi.org/10.1016/j.mri.2006.11.022)
Neimark. [Colloids and Surfaces A: Physicochem. & Eng. Aspects. 241/1-3, 191-200, 2004](#).
- [16] J.H. Strange, J. Mitchell and J.B.W. Webber. *Pore Surface Exploration by NMR*. [Magn. Reson. Imaging 21, \(3-4\): 221-226, Apr-May, \(2003\)](#)